



GWDB Reports and Downloads

Well Basic Details

Scanned Documents

State Well Number	5654403	Well Type	Spring
County	Kerr	Well Use	Domestic
River Basin	Guadalupe	Water Level Observation	Miscellaneous Measurements
Groundwater Management Area	9	Water Quality Available	Yes
Regional Water Planning Area	J - Plateau	Pump	Submersible
Groundwater Conservation District	Headwaters GCD	Pump Depth (feet below land surface)	
Latitude (decimal degrees)	30.1669556	Power Type	Electric Motor
Latitude (degrees minutes seconds)	30° 10' 01 04" N	Annular Seal Method	
	-99 3426528	Surface Completion	
		Owner	Fessenden Springs
Longitude (degrees minutes seconds)	099° 20° 33.55° W	Driller	
Coordinate Source	Global Positioning System - GPS	Other Data Available	
Aquifer Code	218EDRDA - Edwards and Associated Limestones	Well Report Tracking Number	
Aquifer	Edwards-Trinity Plateau	Plugging Report Tracking Number	
Aquifer Pick Method		U.S. Geological Survey Site	301002099203401
Land Surface Elevation (feet above sea level)	1902	Texas Commission on	
Land Surface Elevation Method	Digital Elevation Model -DEM	Environmental Quality Source Id	
Well Depth (feet below land surface)		Groundwater Conservation District Well Number	
Well Depth Source		Owner Well Number	Fessenden Spring
Drilling Start Date		Other Well Number	
Drilling End Date		Previous State Well Number	
Drilling Method		Reporting Agency	U.S. Geological Survey
Borehole Completion		Created Date	3/31/1966
		Last Update Date	4/4/2024

Remarks Fessenden Spring. TPWD Heart of the Hills Fisheries Research Station derives all of its water from Fessenden Springs via a canal. A pump at the headwaters feeds a house on the property which is seldom inhabitated by students and guest scientists. Estimated discharge 2500 GPM on 3/31/66. One of two springs known as Ellebracht Springs. Conductance 609 mmhos on 4/27/05.

Casing - No Data		
Well Tests - No Data		
Lithology - No Data		
Annular Seal Range - No Data		
Borehole - No Data	Plugged Back - No Data	
Filter Pack - No Data	Packers - No Da	ta







			below land surface)	in level	(ft. above sea level)				
Ρ	3/30/2023	1435	1.55		1900.45	1	Texas Water Development Board	Steel Tape	Measured from top of cement block which the pump enters

Code Descriptions

Status Code	Status Description
Р	Publishable





Sample Date:	4/27/2005	Sample Time:	1058	Sample Number:	: 1	Collection Entity:	Texas Water Development Board
Sampled Aquife	er: Edwards	and Associated Lin	nestones				
Analyzed Lab:	LCRA - Lower	r Colorado River A	uthority		Reliability	Sampled using T	WDB protocols
Collection Rem	arks: No Da	ita					

Parameter Code	Parameter Description	Flag	Value*	Units	Plus/Minus
39086	ALKALINITY FIELD DISSOLVED AS CACO3		255	mg/L as CACO 3	
00415	ALKALINITY, PHENOLPHTHALEIN (MG/L)		0	mg/L	
00410	ALKALINITY, TOTAL (MG/L AS CACO3)		249	mg/L as CACO 3	
01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4.08	ug/L	
01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.02	ug/L	
01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.04	ug/L	
01005	BARIUM, DISSOLVED (UG/L AS BA)		77.3	ug/L	
01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.02	ug/L	
00440	BICARBONATE ION, CALCULATED (MG/L AS HCO3)		303.86	mg/L	
01020	BORON, DISSOLVED (UG/L AS B)		116	ug/L	
71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.173	mg/L	
01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.02	ug/L	
00915	CALCIUM, DISSOLVED (MG/L AS CA)		84.8	mg/L	
00445	CARBONATE ION, CALCULATED (MG/L AS CO3)		0	mg/L	
00941	CHLORIDE, DISSOLVED (MG/L AS CL)		27.5	mg/L	
01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1.02	ug/L	
01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.02	ug/L	
01040	COPPER, DISSOLVED (UG/L AS CU)	<	1.02	ug/L	
00950	FLUORIDE, DISSOLVED (MG/L AS F)		0.25	mg/L	
00900	HARDNESS, TOTAL, CALCULATED (MG/L AS CACO3)		274	mg/L as CACO 3	
01046	IRON, DISSOLVED (UG/L AS FE)	<	51	ug/L	
01049	LEAD, DISSOLVED (UG/L AS PB)	<	1.02	ug/L	
01130	LITHIUM, DISSOLVED (UG/L AS LI)		4.2	ug/L	
00925	MAGNESIUM, DISSOLVED (MG/L AS MG)		15	mg/L	
01056	MANGANESE, DISSOLVED (UG/L AS MN)	<	1.02	ug/L	
01060	MOLYBDENUM, DISSOLVED (UG/L AS MO)	<	1.02	ug/L	
71851	NITRATE NITROGEN, DISSOLVED, CALCULATED (MG/L AS NO3)		14.14	mg/L as NO3	
00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		3.195	mg/L as N	





Parameter Code	Parameter Description	Flag	Value*	Units	Plus/Minus
00400	PH (STANDARD UNITS), FIELD		7.31	SU	
00935	POTASSIUM, DISSOLVED (MG/L AS K)		1.05	mg/L	
71860	RESIDUAL SODIUM CARBONATE, CALCULATED		0		
01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.08	ug/L	
00955	SILICA, DISSOLVED (MG/L AS SI02)		17.9	mg/L as SIO2	
00931	SODIUM ADSORPTION RATIO, CALCULATED (SAR)		0.48		
00932	SODIUM, CALCULATED, PERCENT		13	РСТ	
00930	SODIUM, DISSOLVED (MG/L AS NA)		18.6	mg/L	
00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM AT 25C)		609	MICR	
01080	STRONTIUM, DISSOLVED (UG/L AS SR)		293	ug/L	
00946	SULFATE, DISSOLVED (MG/L AS SO4)		13	mg/L as SO4	
00010	TEMPERATURE, WATER (CELSIUS)		20.2	С	
01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.02	ug/L	
70301	TOTAL DISSOLVED SOLIDS , SUM OF CONSTITUENTS (MG/L)		342	mg/L	
01085	VANADIUM, DISSOLVED (UG/L AS V)		7.01	ug/L	
01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4.08	ug/L	





Sample Date:	7/7/2020	Sample Time:	1150	Sample Number:	1	Collection Entity:	Texas Water Development Board
Sampled Aquife	er: Ed	wards and Associated Lir	nestones				
Analyzed Lab:	LCRA -	Lower Colorado River A	uthority	R	eliability:	Sampled using T	WDB protocols
Collection Rem	arks:	Sampled from largest sp	ring disch	arge under large lin	nestone o	utcrop (spring head)	

Parameter Code	Parameter Description	Flag	Value*	Units	Plus/Minus
39086	ALKALINITY FIELD DISSOLVED AS CACO3		239	mg/L as CACO 3	
00425	ALKALINITY, BICARBONATE DISSOLVED (MG/L), LAB		240	mg/L	
00430	ALKALINITY, CARBONATE DISSOLVED (MG/L), LAB		0	mg/L	
00420	ALKALINITY, HYDROXIDE DISSOLVED (MG/L), LAB		0	mg/L	
00415	ALKALINITY, PHENOLPHTHALEIN (MG/L)		0	mg/L	
00410	ALKALINITY, TOTAL (MG/L AS CACO3)		240	mg/L as CACO 3	
01106	ALUMINUM, DISSOLVED (UG/L AS AL)		7.1	ug/L	
50938	ANION/CATION CHG BAL, PERCENT		1.7	PCT	
01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	ug/L	
01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	1	ug/L	
01005	BARIUM, DISSOLVED (UG/L AS BA)		71.3	ug/L	
01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	ug/L	
00440	BICARBONATE ION, CALCULATED (MG/L AS HCO3)		292.883	mg/L	
01020	BORON, DISSOLVED (UG/L AS B)		73.4	ug/L	
71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.138	mg/L	
01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	ug/L	
00915	CALCIUM, DISSOLVED (MG/L AS CA)		77.2	mg/L	
28004	CARBON-14 DISS APPARENT AGE (YEARS BP)		4300	Y-BP	
82172	CARBON-14 FRACTION MODERN		0.5855		0.0021
00445	CARBONATE ION, CALCULATED (MG/L AS CO3)		0	mg/L	
00941	CHLORIDE, DISSOLVED (MG/L AS CL)		28.8	mg/L	
01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1	ug/L	
01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	ug/L	
01040	COPPER, DISSOLVED (UG/L AS CU)	<	1	ug/L	
82081	DELTA CARBON 13 C13/C12 PER MIL		-7.9	0/00	
50791	DEUTERIUM, EXPRESSED AS PERMIL VSMOW		-27.89	0/00	
00950	FLUORIDE, DISSOLVED (MG/L AS F)		0.25	mg/L	
00900	HARDNESS, TOTAL, CALCULATED (MG/L AS CACO3)		269.833	mg/L as CACO 3	
01046	IRON, DISSOLVED (UG/L AS FE)	<	50	ug/L	
01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	ug/L	
01130	LITHIUM. DISSOLVED (UG/L AS LI)		4.79	ua/L	





Parameter Code	Parameter Description	Flag	Value*	Units	Plus/Minus
00925	MAGNESIUM, DISSOLVED (MG/L AS MG)		18.6	mg/L	
01056	MANGANESE, DISSOLVED (UG/L AS MN)	<	1	ug/L	
71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.2	ug/L	
01060	MOLYBDENUM, DISSOLVED (UG/L AS MO)	<	1	ug/L	
71851	NITRATE NITROGEN, DISSOLVED, CALCULATED (MG/L AS NO3)		10.226	mg/L as NO3	
00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		2.31	mg/L as N	
50790	OXYGEN-18, EXPRESSED AS PERMIL VSMOW		-4.67	0/00	
00400	PH (STANDARD UNITS), FIELD		7.36	SU	
00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.02	mg/L as P	
00935	POTASSIUM, DISSOLVED (MG/L AS K)		1.19	mg/L	
71860	RESIDUAL SODIUM CARBONATE, CALCULATED		0		
01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	5	ug/L	
00955	SILICA, DISSOLVED (MG/L AS SI02)		14.3	mg/L as SIO2	
01075	SILVER, DISSOLVED (UG/L AS AG)	<	1	ug/L	
00931	SODIUM ADSORPTION RATIO, CALCULATED (SAR)		0.498		
00932	SODIUM, CALCULATED, PERCENT		13.189	PCT	
00930	SODIUM, DISSOLVED (MG/L AS NA)		18.8	mg/L	
00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM AT 25C)		451	MICR	
01080	STRONTIUM, DISSOLVED (UG/L AS SR)		368	ug/L	
48297	STRONTIUM, ISOTOPE OF MASS 86 AND 87 RATIO		0.7080148	N/A	
00946	SULFATE, DISSOLVED (MG/L AS SO4)		11.6	mg/L as SO4	
00010	TEMPERATURE, WATER (CELSIUS)		20.4	С	
01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	ug/L	
70301	TOTAL DISSOLVED SOLIDS , SUM OF CONSTITUENTS (MG/L)		325.345	mg/L	
07012	TRITIUM IN WATER (TRITIUM UNITS)		0.68	TU	0.09
22703	URANIUM, NATURAL, DISSOLVED (UG/L AS U)		1.16	ug/L	
01085	VANADIUM, DISSOLVED (UG/L AS V)		11.5	ug/L	
01090	ZINC, DISSOLVED (UG/L AS ZN)	<	5	ug/L	





Sample Date:	4/7/2021	Sample Time:	1140	Sample Number:	1	Collection Entity:	Texas Water Development Board
Sampled Aquife	er: Edv	vards and Associated Lir	nestones				
Analyzed Lab:	LCRA -	Lower Colorado River A	uthority	F	Reliability:	Sampled using T	WDB protocols
Collection Rem	arks:	Sampled from largest sp	ring discha	arge under large li	mestone o	utcrop (spring head)	

Parameter Code	Parameter Description	Flag	Value*	Units	Plus/Minus
39086	ALKALINITY FIELD DISSOLVED AS CACO3		257	mg/L as CACO 3	
00425	ALKALINITY, BICARBONATE DISSOLVED (MG/L), LAB		240	mg/L	
00430	ALKALINITY, CARBONATE DISSOLVED (MG/L), LAB		0	mg/L	
00420	ALKALINITY, HYDROXIDE DISSOLVED (MG/L), LAB		0	mg/L	
00415	ALKALINITY, PHENOLPHTHALEIN (MG/L)		0	mg/L	
00410	ALKALINITY, TOTAL (MG/L AS CACO3)		240	mg/L as CACO 3	
01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	5	ug/L	
50938	ANION/CATION CHG BAL, PERCENT		2.18	PCT	
01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	ug/L	
01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	1	ug/L	
01005	BARIUM, DISSOLVED (UG/L AS BA)		75.4	ug/L	
01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	ug/L	
00440	BICARBONATE ION, CALCULATED (MG/L AS HCO3)		292.883	mg/L	
01020	BORON, DISSOLVED (UG/L AS B)		78.8	ug/L	
71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.153	mg/L	
01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	ug/L	
00915	CALCIUM, DISSOLVED (MG/L AS CA)		73.4	mg/L	
00445	CARBONATE ION, CALCULATED (MG/L AS CO3)		0	mg/L	
00941	CHLORIDE, DISSOLVED (MG/L AS CL)		30.2	mg/L	
01030	CHROMIUM, DISSOLVED (UG/L AS CR)		5.94	ug/L	
01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	ug/L	
01040	COPPER, DISSOLVED (UG/L AS CU)	<	1	ug/L	
00950	FLUORIDE, DISSOLVED (MG/L AS F)		0.274	mg/L	
00900	HARDNESS, TOTAL, CALCULATED (MG/L AS CACO3)		268.593	mg/L as CACO 3	
01046	IRON, DISSOLVED (UG/L AS FE)	<	50	ug/L	
01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	ug/L	
01130	LITHIUM, DISSOLVED (UG/L AS LI)		4.88	ug/L	
00925	MAGNESIUM, DISSOLVED (MG/L AS MG)		20.6	mg/L	
01056	MANGANESE, DISSOLVED (UG/L AS MN)	<	1	ug/L	
71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.2	ug/L	
01060	MOLYBDENUM, DISSOLVED (UG/L AS MO)	<	1	ug/L	





Parameter Code	Parameter Description	Flag	Value*	Units	Plus/Minus
71851	NITRATE NITROGEN, DISSOLVED, CALCULATED (MG/L AS NO3)		6.552	mg/L as NO3	
00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		1.48	mg/L as N	
00400	PH (STANDARD UNITS), FIELD		7.2	SU	
00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.02	mg/L as P	
00935	POTASSIUM, DISSOLVED (MG/L AS K)		1.16	mg/L	
71860	RESIDUAL SODIUM CARBONATE, CALCULATED		0		
01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	5	ug/L	
00955	SILICA, DISSOLVED (MG/L AS SI02)		12.9	mg/L as SIO2	
01075	SILVER, DISSOLVED (UG/L AS AG)	<	1	ug/L	
00931	SODIUM ADSORPTION RATIO, CALCULATED (SAR)		0.529		
00932	SODIUM, CALCULATED, PERCENT		13.909	PCT	
00930	SODIUM, DISSOLVED (MG/L AS NA)		19.9	mg/L	
00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM AT 25C)		559	MICR	
01080	STRONTIUM, DISSOLVED (UG/L AS SR)		380	ug/L	
00946	SULFATE, DISSOLVED (MG/L AS SO4)		11.1	mg/L as SO4	
00010	TEMPERATURE, WATER (CELSIUS)		20.4	С	
01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	ug/L	
70301	TOTAL DISSOLVED SOLIDS , SUM OF CONSTITUENTS (MG/L)		320.476	mg/L	
22703	URANIUM, NATURAL, DISSOLVED (UG/L AS U)		1.18	ug/L	
01085	VANADIUM, DISSOLVED (UG/L AS V)		10.2	ug/L	
01090	ZINC, DISSOLVED (UG/L AS ZN)	<	5	ug/L	





 Sample Date:
 4/13/2022
 Sample Time:
 1100
 Sample Number:
 1
 Collection Entity:
 Texas Water Development Board

 Sampled Aquifer:
 Edwards and Associated Limestones

 Analyzed Lab:
 TWDB Field Analysis
 Reliability:
 Sampled using TWDB protocols

 Collection Remarks:
 Sampled from largest spring discharge under large limestone outcrop (spring head)

Parameter Code	Parameter Description	Flag	Value*	Units	Plus/Minus
00400	PH (STANDARD UNITS), FIELD		7.45	SU	
00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM AT 25C)		576	MICR	
00010	TEMPERATURE, WATER (CELSIUS)		20.5	С	





 Sample Date:
 3/30/2023
 Sample Time:
 1320
 Sample Number:
 1
 Collection Entity:
 Texas Water Development Board

 Sampled Aquifer:
 Edwards and Associated Limestones

 Analyzed Lab:
 TWDB Field Analysis
 Reliability:
 Sampled using TWDB protocols

 Collection Remarks:
 Sampled from largest spring discharge under large limestone outcrop (spring head)

Parameter Code	Parameter Description	Flag	Value*	Units	Plus/Minus
00400	PH (STANDARD UNITS), FIELD		7.23	SU	
00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM AT 25C)		576	MICR	
00010	TEMPERATURE, WATER (CELSIUS)		20.5	С	





Collection Remarks: Sampled from largest spring discharge under large limestone outcrop (spring head)									
Analyzed Lab: TWDE	Field Analysis	I	Reliability:	Sampled using T	WDB protocols				
Sampled Aquifer: E	lwards and Associated Lim	restones							
Sample Date: 4/2/202	4 Sample Time:	1114 Sample Number:	: 1 (Collection Entity:	Texas Water D	evelopr	nent Board		

Parameter Code	Parameter Description	Flag	Value*	Units	Plus/Minus
00400	PH (STANDARD UNITS), FIELD		7.23	SU	
00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM AT 25C)		574	MICR	
00010	TEMPERATURE, WATER (CELSIUS)		20.6	С	

* Value may not display all significant digits for parameter in results, check Scanned Documents for laboratory paperwork..

GWDB DISCLAIMER: Except where noted, all of the information provided in the Texas Water Development Board (TWDB) Groundwater Database (https://www.twdb.texas.gov/groundwater/data/gwdbrpt.asp) is believed to be accurate and reliable; however, the TWDB assumes no responsibility for any errors appearing in rules or otherwise. Further, TWDB assumes no responsibility for the use of the information provided. PLEASE NOTE that users of these data are responsible for checking the accuracy, completeness, currency and/or suitability of all information themselves. TWDB makes no guarantees or warranties as to the accuracy, completeness, currency, or suitability of the information provided via the Groundwater Database (GWDB). TWDB specifically disclaims any and all liability for any claims or damages that may result from providing GWDB data or the information it contains. For additional information or answers to questions concerning the TWDB GWDB, contact the Groundwater Data Team at GroundwaterData@twdb.texas.gov.