

[GWDB Reports and Downloads](#)

Well Basic Details

[Scanned Documents](#)

State Well Number	5763403
County	Hays
River Basin	Guadalupe
Groundwater Management Area	9
Regional Water Planning Area	L - South Central Texas
Groundwater Conservation District	Barton Springs/Edwards Aquifer CD
Latitude (decimal degrees)	30.0589722
Latitude (degrees minutes seconds)	30° 03' 32.3" N
Longitude (decimal degrees)	-98.2419444
Longitude (degrees minutes seconds)	098° 14' 31" W
Coordinate Source	Global Positioning System - GPS
Aquifer Code	218GLRSL - Glen Rose Limestone, Lower Member
Aquifer	Trinity
Aquifer Pick Method	Provided by Groundwater Conservation District
Land Surface Elevation (feet above sea level)	1008
Land Surface Elevation Method	Digital Elevation Model -DEM
Well Depth (feet below land surface)	
Well Depth Source	
Drilling Start Date	
Drilling End Date	
Drilling Method	
Borehole Completion	

Well Type	Spring
Well Use	
Water Level Observation	
Water Quality Available	Yes
Pump	
Pump Depth (feet below land surface)	
Power Type	
Annular Seal Method	
Surface Completion	
Owner	Inspiring Oaks Spring
Driller	
Other Data Available	
Well Report Tracking Number	
Plugging Report Tracking Number	
U.S. Geological Survey Site Number	
Texas Commission on Environmental Quality Source Id	
Groundwater Conservation District Well Number	
Owner Well Number	
Other Well Number	
Previous State Well Number	
Reporting Agency	
Created Date	10/22/2018
Last Update Date	4/8/2022

Remarks

Casing - No Data

Well Tests - No Data

Lithology - No Data

Annular Seal Range - No Data

Borehole - No Data

Plugged Back - No Data

Filter Pack - No Data

Packers - No Data

Water Level Measurements

No Data Available

Water Quality Analysis

Sample Date: 10/11/2018 **Sample Time:** 1137 **Sample Number:** 1 **Collection Entity:** Barton Springs/Edwards Aquifer CD

Sampled Aquifer: Glen Rose Limestone, Lower Member

Analyzed Lab: LCRA - Lower Colorado River Authority **Reliability:** Sampled using TWDB protocols

Collection Remarks: Lab Calculated Anion/Cation Chg Bal set to TWDB Calculated Value due to an error in the lab calculated formula

Parameter Code	Parameter Description	Flag	Value*	Units	Plus/Minus
00425	ALKALINITY, BICARBONATE DISSOLVED (MG/L), LAB		285	mg/L	
00430	ALKALINITY, CARBONATE DISSOLVED (MG/L), LAB		0	mg/L	
00420	ALKALINITY, HYDROXIDE DISSOLVED (MG/L), LAB		0	mg/L	
00415	ALKALINITY, PHENOLPHTHALEIN (MG/L)		0	mg/L	
00410	ALKALINITY, TOTAL (MG/L AS CaCO3)		285	mg/L as CaCO 3	
01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	5	ug/L	
50938	ANION/CATION CHG BAL, PERCENT		1.3326	PCT	
01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	ug/L	
01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	1	ug/L	
01005	BARIUM, DISSOLVED (UG/L AS BA)		34.4	ug/L	
01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	ug/L	
00440	BICARBONATE ION, CALCULATED (MG/L AS HCO3)		347.799	mg/L	
01020	BORON, DISSOLVED (UG/L AS B)	<	50	ug/L	
71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.0638	mg/L	
01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	ug/L	
00915	CALCIUM, DISSOLVED (MG/L AS CA)		102	mg/L	
00445	CARBONATE ION, CALCULATED (MG/L AS CO3)		0	mg/L	
00941	CHLORIDE, DISSOLVED (MG/L AS CL)		8.26	mg/L	
01030	CHROMIUM, DISSOLVED (UG/L AS CR)		1.62	ug/L	
01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	ug/L	
01040	COPPER, DISSOLVED (UG/L AS CU)	<	1	ug/L	
00950	FLUORIDE, DISSOLVED (MG/L AS F)		0.161	mg/L	
00900	HARDNESS, TOTAL, CALCULATED (MG/L AS CaCO3)		317.027	mg/L as CaCO 3	
01046	IRON, DISSOLVED (UG/L AS FE)	<	50	ug/L	
01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	ug/L	
01130	LITHIUM, DISSOLVED (UG/L AS LI)		2.61	ug/L	
00925	MAGNESIUM, DISSOLVED (MG/L AS MG)		15	mg/L	
01056	MANGANESE, DISSOLVED (UG/L AS MN)		1.23	ug/L	
71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.2	ug/L	
01060	MOLYBDENUM, DISSOLVED (UG/L AS MO)	<	1	ug/L	
71851	NITRATE NITROGEN, DISSOLVED, CALCULATED (MG/L AS NO3)		2.399	mg/L as NO3	

Texas Water Development Board (TWDB)
Groundwater Database (GWDB)
Well Information Report for State Well Number
57-63-403

Parameter Code	Parameter Description	Flag	Value*	Units	Plus/Minus
00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		0.542	mg/L as N	
00400	PH (STANDARD UNITS), FIELD		7.2	SU	
00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.02	mg/L as P	
00935	POTASSIUM, DISSOLVED (MG/L AS K)		0.62	mg/L	
71860	RESIDUAL SODIUM CARBONATE, CALCULATED		0		
01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	5	ug/L	
00955	SILICA, DISSOLVED (MG/L AS SI02)		10.9	mg/L as SIO2	
01075	SILVER, DISSOLVED (UG/L AS AG)	<	1	ug/L	
00931	SODIUM ADSORPTION RATIO, CALCULATED (SAR)		0.155		
00932	SODIUM, CALCULATED, PERCENT		4.172	PCT	
00930	SODIUM, DISSOLVED (MG/L AS NA)		6.33	mg/L	
00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM AT 25C)		674	MICR	
01080	STRONTIUM, DISSOLVED (UG/L AS SR)		441	ug/L	
00946	SULFATE, DISSOLVED (MG/L AS SO4)		22.6	mg/L as SO4	
00010	TEMPERATURE, WATER (CELSIUS)		20.9	C	
01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	ug/L	
70301	TOTAL DISSOLVED SOLIDS , SUM OF CONSTITUENTS (MG/L)		339.724	mg/L	
22703	URANIUM, NATURAL, DISSOLVED (UG/L AS U)	<	1	ug/L	
01085	VANADIUM, DISSOLVED (UG/L AS V)		1.8	ug/L	
01090	ZINC, DISSOLVED (UG/L AS ZN)	<	5	ug/L	

Water Quality Analysis

Sample Date: 6/24/2020 **Sample Time:** 1200 **Sample Number:** 1 **Collection Entity:** Texas Water Development Board

Sampled Aquifer: Glen Rose Limestone, Lower Member

Analyzed Lab: LCRA - Lower Colorado River Authority

Reliability: Sampled using TWDB protocols

Collection Remarks: Collected from spring orifice.

Parameter Code	Parameter Description	Flag	Value*	Units	Plus/Minus
39086	ALKALINITY FIELD DISSOLVED AS CaCO3		271	mg/L as CaCO 3	
00425	ALKALINITY, BICARBONATE DISSOLVED (MG/L), LAB		264	mg/L	
00430	ALKALINITY, CARBONATE DISSOLVED (MG/L), LAB		0	mg/L	
00420	ALKALINITY, HYDROXIDE DISSOLVED (MG/L), LAB		0	mg/L	
00415	ALKALINITY, PHENOLPHTHALEIN (MG/L)		0	mg/L	
00410	ALKALINITY, TOTAL (MG/L AS CaCO3)		264	mg/L as CaCO 3	
01106	ALUMINUM, DISSOLVED (UG/L AS AL)		7.84	ug/L	
50938	ANION/CATION CHG BAL, PERCENT		2.22	PCT	
01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	ug/L	
01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	1	ug/L	
01005	BARIUM, DISSOLVED (UG/L AS BA)		35.5	ug/L	
01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	ug/L	
00440	BICARBONATE ION, CALCULATED (MG/L AS HCO3)		322.171	mg/L	
01020	BORON, DISSOLVED (UG/L AS B)		54	ug/L	
71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.0765	mg/L	
01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	ug/L	
00915	CALCIUM, DISSOLVED (MG/L AS CA)		95.2	mg/L	
28004	CARBON-14 DISS APPARENT AGE (YEARS BP)		960	Y-BP	
82172	CARBON-14 FRACTION MODERN		0.8876		0.0032
00445	CARBONATE ION, CALCULATED (MG/L AS CO3)		0	mg/L	
00941	CHLORIDE, DISSOLVED (MG/L AS CL)		12.1	mg/L	
01030	CHROMIUM, DISSOLVED (UG/L AS CR)		3.63	ug/L	
01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	ug/L	
01040	COPPER, DISSOLVED (UG/L AS CU)	<	1	ug/L	
50791	DEUTERIUM, EXPRESSED AS PERMIL VSMOW		-24.3	0/00	
00950	FLUORIDE, DISSOLVED (MG/L AS F)		0.191	mg/L	
00900	HARDNESS, TOTAL, CALCULATED (MG/L AS CaCO3)		318.044	mg/L as CaCO 3	
01046	IRON, DISSOLVED (UG/L AS FE)	<	50	ug/L	
01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	ug/L	
01130	LITHIUM, DISSOLVED (UG/L AS LI)		4.18	ug/L	
00925	MAGNESIUM, DISSOLVED (MG/L AS MG)		19.3	mg/L	

**Texas Water Development Board (TWDB)
Groundwater Database (GWDB)
Well Information Report for State Well Number
57-63-403**

Parameter Code	Parameter Description	Flag	Value*	Units	Plus/Minus
01056	MANGANESE, DISSOLVED (UG/L AS MN)	<	1	ug/L	
71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.2	ug/L	
01060	MOLYBDENUM, DISSOLVED (UG/L AS MO)		1.09	ug/L	
71851	NITRATE NITROGEN, DISSOLVED, CALCULATED (MG/L AS NO3)		2.572	mg/L as NO3	
00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		0.581	mg/L as N	
50790	OXYGEN-18, EXPRESSED AS PERMIL VSMOW		-4.07	0/00	
00400	PH (STANDARD UNITS), FIELD		7.22	SU	
00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.02	mg/L as P	
00935	POTASSIUM, DISSOLVED (MG/L AS K)		1.23	mg/L	
71860	RESIDUAL SODIUM CARBONATE, CALCULATED		0		
01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	5	ug/L	
00955	SILICA, DISSOLVED (MG/L AS SI02)		10.6	mg/L as SIO2	
01075	SILVER, DISSOLVED (UG/L AS AG)	<	1	ug/L	
00931	SODIUM ADSORPTION RATIO, CALCULATED (SAR)		0.197		
00932	SODIUM, CALCULATED, PERCENT		5.235	PCT	
00930	SODIUM, DISSOLVED (MG/L AS NA)		8.05	mg/L	
00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM AT 25C)		498	MICR	
01080	STRONTIUM, DISSOLVED (UG/L AS SR)		695	ug/L	
48297	STRONTIUM, ISOTOPE OF MASS 86 AND 87 RATIO		0.7077768	N/A	
00946	SULFATE, DISSOLVED (MG/L AS SO4)		37.1	mg/L as SO4	
00010	TEMPERATURE, WATER (CELSIUS)		20.9	C	
01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	ug/L	
70301	TOTAL DISSOLVED SOLIDS , SUM OF CONSTITUENTS (MG/L)		345.45	mg/L	
07012	TRITIUM IN WATER (TRITIUM UNITS)		1.43	TU	0.09
22703	URANIUM, NATURAL, DISSOLVED (UG/L AS U)	<	1	ug/L	
01085	VANADIUM, DISSOLVED (UG/L AS V)		2.39	ug/L	
01090	ZINC, DISSOLVED (UG/L AS ZN)	<	5	ug/L	

Water Quality Analysis

Sample Date: 4/5/2021 **Sample Time:** 1225 **Sample Number:** 1 **Collection Entity:** Texas Water Development Board

Sampled Aquifer: Glen Rose Limestone, Lower Member

Analyzed Lab: TWDB Field Analysis

Reliability: Sampled using TWDB protocols

Collection Remarks: No flow from spring. Field parameters taken from stagnant water in spring orifice.

Parameter Code	Parameter Description	Flag	Value*	Units	Plus/Minus
00400	PH (STANDARD UNITS), FIELD		7.02	SU	
00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM AT 25C)		536	MICR	
00010	TEMPERATURE, WATER (CELSIUS)		19.6	C	

Water Quality Analysis

Sample Date: 4/5/2022 **Sample Time:** 1117 **Sample Number:** 1 **Collection Entity:** Texas Water Development Board

Sampled Aquifer: Glen Rose Limestone, Lower Member

Analyzed Lab: TWDB Field Analysis

Reliability: Sampled using TWDB protocols

Collection Remarks: No flow from spring. Field parameters taken from stagnant water in spring orifice. In a current active drought.

Parameter Code	Parameter Description	Flag	Value*	Units	Plus/Minus
00400	PH (STANDARD UNITS), FIELD		3.75	SU	
00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM AT 25C)		660	MICR	
00010	TEMPERATURE, WATER (CELSIUS)		20.7	C	

* Value may not display all significant digits for parameter in results, check Scanned Documents for laboratory paperwork..

GWDB DISCLAIMER: Except where noted, all of the information provided in the Texas Water Development Board (TWDB) Groundwater Database (<https://www.twdb.texas.gov/groundwater/data/gwdb rpt.asp>) is believed to be accurate and reliable; however, the TWDB assumes no responsibility for any errors appearing in rules or otherwise. Further, TWDB assumes no responsibility for the use of the information provided. PLEASE NOTE that users of these data are responsible for checking the accuracy, completeness, currency and/or suitability of all information themselves. TWDB makes no guarantees or warranties as to the accuracy, completeness, currency, or suitability of the information provided via the Groundwater Database (GWDB). TWDB specifically disclaims any and all liability for any claims or damages that may result from providing GWDB data or the information it contains. For additional information or answers to questions concerning the TWDB GWDB, contact the Groundwater Data Team at GroundwaterData@twdb.texas.gov.