

[GWDB Reports and Downloads](#)

Well Basic Details

[Scanned Documents](#)

State Well Number	5763707
County	Hays
River Basin	Guadalupe
Groundwater Management Area	9
Regional Water Planning Area	L - South Central Texas
Groundwater Conservation District	Barton Springs/Edwards Aquifer CD
Latitude (decimal degrees)	30.0316667
Latitude (degrees minutes seconds)	30° 01' 54" N
Longitude (decimal degrees)	-98.2202778
Longitude (degrees minutes seconds)	098° 13' 13" W
Coordinate Source	Global Positioning System - GPS
Aquifer Code	218CCRK - Cow Creek Limestone
Aquifer	Trinity
Aquifer Pick Method	
Land Surface Elevation (feet above sea level)	958
Land Surface Elevation Method	Digital Elevation Model -DEM
Well Depth (feet below land surface)	
Well Depth Source	
Drilling Start Date	
Drilling End Date	
Drilling Method	
Borehole Completion	

Well Type	Spring
Well Use	
Water Level Observation	None
Water Quality Available	Yes
Pump	
Pump Depth (feet below land surface)	
Power Type	
Annular Seal Method	
Surface Completion	
Owner	Park Spring
Driller	
Other Data Available	
Well Report Tracking Number	
Plugging Report Tracking Number	
U.S. Geological Survey Site Number	
Texas Commission on Environmental Quality Source Id	
Groundwater Conservation District Well Number	
Owner Well Number	Park Spring
Other Well Number	
Previous State Well Number	
Reporting Agency	Groundwater Conservation District
Created Date	5/1/2013
Last Update Date	8/6/2022

Remarks | Flow about 2 cfs on 2/9/2013. Flow about 1.03 cfs on 4/19/2019.

Casing - No Data

Well Tests - No Data

Lithology - No Data

Annular Seal Range - No Data

Borehole - No Data

Plugged Back - No Data

Filter Pack - No Data

Packers - No Data

Water Level Measurements

No Data Available

Water Quality Analysis

Sample Date: 2/9/2013 **Sample Time:** 1415 **Sample Number:** 1 **Collection Entity:** Barton Springs/Edwards Aquifer CD

Sampled Aquifer: Cow Creek Limestone

Analyzed Lab: LCRA - Lower Colorado River Authority

Reliability: Sampled using TWDB protocols

Collection Remarks: Lab Calculated Anion/Cation Chg Bal set to TWDB Calculated Value due to an error in the lab calculated formula

Parameter Code	Parameter Description	Flag	Value*	Units	Plus/Minus
00415	ALKALINITY, PHENOLPHTHALEIN (MG/L)	<	2	mg/L	
00410	ALKALINITY, TOTAL (MG/L AS CaCO3)		215	mg/L as CaCO 3	
01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	ug/L	
50938	ANION/CATION CHG BAL, PERCENT		-1.78	PCT	
01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	ug/L	
01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	ug/L	
01005	BARIUM, DISSOLVED (UG/L AS BA)		33.3	ug/L	
01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	ug/L	
00440	BICARBONATE ION, CALCULATED (MG/L AS HCO3)		262.37	mg/L	
01020	BORON, DISSOLVED (UG/L AS B)		53	ug/L	
71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.09	mg/L	
01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	ug/L	
00915	CALCIUM, DISSOLVED (MG/L AS CA)		71.4	mg/L	
00445	CARBONATE ION, CALCULATED (MG/L AS CO3)		0	mg/L	
00941	CHLORIDE, DISSOLVED (MG/L AS CL)		12.7	mg/L	
01030	CHROMIUM, DISSOLVED (UG/L AS CR)		4.7	ug/L	
01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	ug/L	
01040	COPPER, DISSOLVED (UG/L AS CU)	<	1	ug/L	
00950	FLUORIDE, DISSOLVED (MG/L AS F)		0.25	mg/L	
00900	HARDNESS, TOTAL, CALCULATED (MG/L AS CaCO3)		257	mg/L as CaCO 3	
01046	IRON, DISSOLVED (UG/L AS FE)	<	50	ug/L	
01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	ug/L	
01130	LITHIUM, DISSOLVED (UG/L AS LI)		3.3	ug/L	
00925	MAGNESIUM, DISSOLVED (MG/L AS MG)		18.8	mg/L	
01056	MANGANESE, DISSOLVED (UG/L AS MN)	<	1	ug/L	
01060	MOLYBDENUM, DISSOLVED (UG/L AS MO)		1.2	ug/L	
71851	NITRATE NITROGEN, DISSOLVED, CALCULATED (MG/L AS NO3)		2.08	mg/L as NO3	
00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		0.469	mg/L as N	
00400	PH (STANDARD UNITS), FIELD		7.44	SU	

Texas Water Development Board (TWDB)
Groundwater Database (GWDB)
Well Information Report for State Well Number
57-63-707

Parameter Code	Parameter Description	Flag	Value*	Units	Plus/Minus
00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		< 0.02	mg/L as P	
00935	POTASSIUM, DISSOLVED (MG/L AS K)		1.36	mg/L	
71860	RESIDUAL SODIUM CARBONATE, CALCULATED		0		
01145	SELENIUM, DISSOLVED (UG/L AS SE)		< 4	ug/L	
00955	SILICA, DISSOLVED (MG/L AS SI02)		8.82	mg/L as SIO2	
01075	SILVER, DISSOLVED (UG/L AS AG)		< 1	ug/L	
00931	SODIUM ADSORPTION RATIO, CALCULATED (SAR)		0.18		
00932	SODIUM, CALCULATED, PERCENT		6	PCT	
00930	SODIUM, DISSOLVED (MG/L AS NA)		6.94	mg/L	
00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM AT 25C)		200	MICR	
01080	STRONTIUM, DISSOLVED (UG/L AS SR)		670	ug/L	
00946	SULFATE, DISSOLVED (MG/L AS SO4)		45.9	mg/L as SO4	
00010	TEMPERATURE, WATER (CELSIUS)		20.14	C	
01057	THALLIUM, DISSOLVED (UG/L AS TL)		< 1	ug/L	
70301	TOTAL DISSOLVED SOLIDS , SUM OF CONSTITUENTS (MG/L)		298	mg/L	
22703	URANIUM, NATURAL, DISSOLVED (UG/L AS U)		< 1	ug/L	
01085	VANADIUM, DISSOLVED (UG/L AS V)		2.7	ug/L	
01090	ZINC, DISSOLVED (UG/L AS ZN)		< 4	ug/L	

Water Quality Analysis

Sample Date: 11/19/2013 **Sample Time:** 0847 **Sample Number:** 1 **Collection Entity:** Barton Springs/Edwards Aquifer CD

Sampled Aquifer: Cow Creek Limestone

Analyzed Lab: LCRA - Lower Colorado River Authority

Reliability: Sampled using TWDB protocols

Collection Remarks: Lab Calculated Anion/Cation Chg Bal set to TWDB Calculated Value due to an error in the lab calculated formula

Parameter Code	Parameter Description	Flag	Value*	Units	Plus/Minus
00415	ALKALINITY, PHENOLPHTHALEIN (MG/L)	<	20	mg/L	
00410	ALKALINITY, TOTAL (MG/L AS CaCO3)		203	mg/L as CaCO 3	
01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	ug/L	
50938	ANION/CATION CHG BAL, PERCENT		-5.49	PCT	
01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	ug/L	
01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	ug/L	
01005	BARIUM, DISSOLVED (UG/L AS BA)		31.9	ug/L	
01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	ug/L	
00440	BICARBONATE ION, CALCULATED (MG/L AS HCO3)		247.73	mg/L	
01020	BORON, DISSOLVED (UG/L AS B)		84	ug/L	
71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.0547	mg/L	
01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	ug/L	
00915	CALCIUM, DISSOLVED (MG/L AS CA)		60.7	mg/L	
28004	CARBON-14 DISS APPARENT AGE (YEARS BP)		93.3	Y-BP	0.3
82172	CARBON-14 FRACTION MODERN		0.9327		0.0034
00445	CARBONATE ION, CALCULATED (MG/L AS CO3)		0	mg/L	
00941	CHLORIDE, DISSOLVED (MG/L AS CL)		10.1	mg/L	
01030	CHROMIUM, DISSOLVED (UG/L AS CR)		1.93	ug/L	
01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	ug/L	
01040	COPPER, DISSOLVED (UG/L AS CU)	<	1	ug/L	
82081	DELTA CARBON 13 C13/C12 PER MIL		-13.9	0/00	
50791	DEUTERIUM, EXPRESSED AS PERMIL VSMOW		-23.6	0/00	
00950	FLUORIDE, DISSOLVED (MG/L AS F)		0.19	mg/L	
00900	HARDNESS, TOTAL, CALCULATED (MG/L AS CaCO3)		215	mg/L as CaCO 3	
01046	IRON, DISSOLVED (UG/L AS FE)	<	50	ug/L	
01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	ug/L	
01130	LITHIUM, DISSOLVED (UG/L AS LI)		3.27	ug/L	
00925	MAGNESIUM, DISSOLVED (MG/L AS MG)		15.2	mg/L	
01056	MANGANESE, DISSOLVED (UG/L AS MN)	<	1	ug/L	
71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.2	ug/L	
01060	MOLYBDENUM, DISSOLVED (UG/L AS MO)		1.2	ug/L	

**Texas Water Development Board (TWDB)
Groundwater Database (GWDB)
Well Information Report for State Well Number
57-63-707**

Parameter Code	Parameter Description	Flag	Value*	Units	Plus/Minus
71851	NITRATE NITROGEN, DISSOLVED, CALCULATED (MG/L AS NO3)		2.15	mg/L as NO3	
00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		0.486	mg/L as N	
50790	OXYGEN-18, EXPRESSED AS PERMIL VSMOW		-3.57	0/00	
50982	OXYGEN-18/OXYGEN-16 OF SULFATE (RATIO PER MIL)		12.7	0/00	
00400	PH (STANDARD UNITS), FIELD		7.82	SU	
00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.02	mg/L as P	
00935	POTASSIUM, DISSOLVED (MG/L AS K)		1.54	mg/L	
71860	RESIDUAL SODIUM CARBONATE, CALCULATED		0		
01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	ug/L	
00955	SILICA, DISSOLVED (MG/L AS SI02)		8.86	mg/L as SIO2	
01075	SILVER, DISSOLVED (UG/L AS AG)	<	1	ug/L	
00931	SODIUM ADSORPTION RATIO, CALCULATED (SAR)		0.16		
00932	SODIUM, CALCULATED, PERCENT		5	PCT	
00930	SODIUM, DISSOLVED (MG/L AS NA)		5.58	mg/L	
00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM AT 25C)		450	MICR	
01080	STRONTIUM, DISSOLVED (UG/L AS SR)		390	ug/L	
48297	STRONTIUM, ISOTOPE OF MASS 86 AND 87 RATIO		0.707774	N/A	
00946	SULFATE, DISSOLVED (MG/L AS SO4)		34.2	mg/L as SO4	
49932	SULFUR-34/32 OF SULFATE, DISSOLVED, PER MIL		6.7	0/00	
00010	TEMPERATURE, WATER (CELSIUS)		20.85	C	
01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	ug/L	
70301	TOTAL DISSOLVED SOLIDS , SUM OF CONSTITUENTS (MG/L)		261	mg/L	
07012	TRITIUM IN WATER (TRITIUM UNITS)		1.72	TU	0.09
22703	URANIUM, NATURAL, DISSOLVED (UG/L AS U)	<	1	ug/L	
01085	VANADIUM, DISSOLVED (UG/L AS V)		1.82	ug/L	
01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4	ug/L	

Water Quality Analysis

Sample Date: 4/19/2019 **Sample Time:** 1250 **Sample Number:** 1 **Collection Entity:** Texas Water Development Board

Sampled Aquifer: Cow Creek Limestone

Analyzed Lab: LCRA - Lower Colorado River Authority

Reliability: Sampled using TWDB protocols

Collection Remarks: Lab Calculated Anion/Cation Chg Bal set to TWDB Calculated Value due to an error in the lab calculated formula

Parameter Code	Parameter Description	Flag	Value*	Units	Plus/Minus
00425	ALKALINITY, BICARBONATE DISSOLVED (MG/L), LAB		212	mg/L	
00430	ALKALINITY, CARBONATE DISSOLVED (MG/L), LAB		0	mg/L	
00420	ALKALINITY, HYDROXIDE DISSOLVED (MG/L), LAB		0	mg/L	
00415	ALKALINITY, PHENOLPHTHALEIN (MG/L)		0	mg/L	
00410	ALKALINITY, TOTAL (MG/L AS CaCO3)		212	mg/L as CaCO 3	
01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	5	ug/L	
50938	ANION/CATION CHG BAL, PERCENT		1.5206	PCT	
01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	ug/L	
01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	1	ug/L	
01005	BARIUM, DISSOLVED (UG/L AS BA)		32.7	ug/L	
01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	ug/L	
00440	BICARBONATE ION, CALCULATED (MG/L AS HCO3)		258.713	mg/L	
01020	BORON, DISSOLVED (UG/L AS B)		54.5	ug/L	
71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.0938	mg/L	
01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	ug/L	
00915	CALCIUM, DISSOLVED (MG/L AS CA)		72.1	mg/L	
00445	CARBONATE ION, CALCULATED (MG/L AS CO3)		0	mg/L	
00941	CHLORIDE, DISSOLVED (MG/L AS CL)		13.5	mg/L	
01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1	ug/L	
01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	ug/L	
01040	COPPER, DISSOLVED (UG/L AS CU)	<	1	ug/L	
00950	FLUORIDE, DISSOLVED (MG/L AS F)		0.218	mg/L	
00900	HARDNESS, TOTAL, CALCULATED (MG/L AS CaCO3)		257.566	mg/L as CaCO 3	
01046	IRON, DISSOLVED (UG/L AS FE)	<	50	ug/L	
01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	ug/L	
01130	LITHIUM, DISSOLVED (UG/L AS LI)		3.9	ug/L	
00925	MAGNESIUM, DISSOLVED (MG/L AS MG)		18.7	mg/L	
01056	MANGANESE, DISSOLVED (UG/L AS MN)	<	1	ug/L	
71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.2	ug/L	
01060	MOLYBDENUM, DISSOLVED (UG/L AS MO)		1.08	ug/L	
71851	NITRATE NITROGEN, DISSOLVED, CALCULATED (MG/L AS NO3)		1.815	mg/L as NO3	

Texas Water Development Board (TWDB)
Groundwater Database (GWDB)
Well Information Report for State Well Number
57-63-707

Parameter Code	Parameter Description	Flag	Value*	Units	Plus/Minus
00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		0.41	mg/L as N	
00400	PH (STANDARD UNITS), FIELD		7.44	SU	
00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.02	mg/L as P	
00935	POTASSIUM, DISSOLVED (MG/L AS K)		1.31	mg/L	
71860	RESIDUAL SODIUM CARBONATE, CALCULATED		0		
01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	5	ug/L	
00955	SILICA, DISSOLVED (MG/L AS SI02)		8.01	mg/L as SIO2	
01075	SILVER, DISSOLVED (UG/L AS AG)	<	1	ug/L	
00931	SODIUM ADSORPTION RATIO, CALCULATED (SAR)		0.227		
00932	SODIUM, CALCULATED, PERCENT		6.626	PCT	
00930	SODIUM, DISSOLVED (MG/L AS NA)		8.38	mg/L	
00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM AT 25C)		422	MICR	
01080	STRONTIUM, DISSOLVED (UG/L AS SR)		419	ug/L	
00946	SULFATE, DISSOLVED (MG/L AS SO4)		34.4	mg/L as SO4	
00010	TEMPERATURE, WATER (CELSIUS)		20	C	
01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	ug/L	
70301	TOTAL DISSOLVED SOLIDS , SUM OF CONSTITUENTS (MG/L)		286.061	mg/L	
22703	URANIUM, NATURAL, DISSOLVED (UG/L AS U)	<	1	ug/L	
01085	VANADIUM, DISSOLVED (UG/L AS V)		1.98	ug/L	
01090	ZINC, DISSOLVED (UG/L AS ZN)	<	5	ug/L	

Water Quality Analysis

Sample Date: 7/2/2020 **Sample Time:** 1100 **Sample Number:** 1 **Collection Entity:** Texas Water Development Board

Sampled Aquifer: Cow Creek Limestone

Analyzed Lab: LCRA - Lower Colorado River Authority

Reliability: Sampled using TWDB protocols

Collection Remarks: Sampled from spring orifice. TWDB suite sampled @ 10:50 and isotopes @ 11:00.

Parameter Code	Parameter Description	Flag	Value*	Units	Plus/Minus
39086	ALKALINITY FIELD DISSOLVED AS CaCO3		240	mg/L as CaCO3	
00425	ALKALINITY, BICARBONATE DISSOLVED (MG/L), LAB		211	mg/L	
00430	ALKALINITY, CARBONATE DISSOLVED (MG/L), LAB		0	mg/L	
00420	ALKALINITY, HYDROXIDE DISSOLVED (MG/L), LAB		0	mg/L	
00415	ALKALINITY, PHENOLPHTHALEIN (MG/L)		0	mg/L	
00410	ALKALINITY, TOTAL (MG/L AS CaCO3)		211	mg/L as CaCO3	
01106	ALUMINUM, DISSOLVED (UG/L AS AL)		7.6	ug/L	
50938	ANION/CATION CHG BAL, PERCENT		2.69	PCT	
01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	ug/L	
01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	1	ug/L	
01005	BARIUM, DISSOLVED (UG/L AS BA)		32.1	ug/L	
01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	ug/L	
00440	BICARBONATE ION, CALCULATED (MG/L AS HCO3)		257.493	mg/L	
01020	BORON, DISSOLVED (UG/L AS B)		62	ug/L	
71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.0948	mg/L	
01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	ug/L	
00915	CALCIUM, DISSOLVED (MG/L AS CA)		71.6	mg/L	
28004	CARBON-14 DISS APPARENT AGE (YEARS BP)		660	Y-BP	
82172	CARBON-14 FRACTION MODERN		0.9212		0.0033
00445	CARBONATE ION, CALCULATED (MG/L AS CO3)		0	mg/L	
00941	CHLORIDE, DISSOLVED (MG/L AS CL)		12.2	mg/L	
01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1	ug/L	
01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	ug/L	
01040	COPPER, DISSOLVED (UG/L AS CU)	<	1	ug/L	
82081	DELTA CARBON 13 C13/C12 PER MIL		-9.1	0/00	0.0033
50791	DEUTERIUM, EXPRESSED AS PERMIL VSMOW		-18.39	0/00	
00950	FLUORIDE, DISSOLVED (MG/L AS F)		0.201	mg/L	
00900	HARDNESS, TOTAL, CALCULATED (MG/L AS CaCO3)		256.353	mg/L as CaCO3	
01046	IRON, DISSOLVED (UG/L AS FE)	<	50	ug/L	
01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	ug/L	
01130	LITHIUM, DISSOLVED (UG/L AS LI)		3.76	ug/L	

**Texas Water Development Board (TWDB)
Groundwater Database (GWDB)
Well Information Report for State Well Number
57-63-707**

Parameter Code	Parameter Description	Flag	Value*	Units	Plus/Minus
00925	MAGNESIUM, DISSOLVED (MG/L AS MG)		18.7	mg/L	
01056	MANGANESE, DISSOLVED (UG/L AS MN)	<	1	ug/L	
71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.2	ug/L	
01060	MOLYBDENUM, DISSOLVED (UG/L AS MO)		1.17	ug/L	
71851	NITRATE NITROGEN, DISSOLVED, CALCULATED (MG/L AS NO3)		1.939	mg/L as NO3	
00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		0.438	mg/L as N	
50790	OXYGEN-18, EXPRESSED AS PERMIL VSMOW		3.1	0/00	
00400	PH (STANDARD UNITS), FIELD		7.35	SU	
00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.02	mg/L as P	
00935	POTASSIUM, DISSOLVED (MG/L AS K)		1.65	mg/L	
71860	RESIDUAL SODIUM CARBONATE, CALCULATED		0		
01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	5	ug/L	
00955	SILICA, DISSOLVED (MG/L AS SI02)		10.7	mg/L as SIO2	
01075	SILVER, DISSOLVED (UG/L AS AG)	<	1	ug/L	
00931	SODIUM ADSORPTION RATIO, CALCULATED (SAR)		0.219		
00932	SODIUM, CALCULATED, PERCENT		6.419	PCT	
00930	SODIUM, DISSOLVED (MG/L AS NA)		8.06	mg/L	
00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM AT 25C)		458	MICR	
01080	STRONTIUM, DISSOLVED (UG/L AS SR)		451	ug/L	
48297	STRONTIUM, ISOTOPE OF MASS 86 AND 87 RATIO		0.7077759	N/A	
00946	SULFATE, DISSOLVED (MG/L AS SO4)		29.8	mg/L as SO4	
00010	TEMPERATURE, WATER (CELSIUS)		23.1	C	
01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	ug/L	
70301	TOTAL DISSOLVED SOLIDS , SUM OF CONSTITUENTS (MG/L)		281.91	mg/L	
07012	TRITIUM IN WATER (TRITIUM UNITS)		1.86	TU	0.09
22703	URANIUM, NATURAL, DISSOLVED (UG/L AS U)	<	1	ug/L	
01085	VANADIUM, DISSOLVED (UG/L AS V)		2.55	ug/L	
01090	ZINC, DISSOLVED (UG/L AS ZN)	<	5	ug/L	

Water Quality Analysis

Sample Date: 4/19/2021 **Sample Time:** 1145 **Sample Number:** 1 **Collection Entity:** Texas Water Development Board

Sampled Aquifer: Cow Creek Limestone

Analyzed Lab: LCRA - Lower Colorado River Authority

Reliability: Sampled using TWDB protocols

Collection Remarks: Sampled from smaller spring orifice protruding from under cypress stump upstream from main orifice

Parameter Code	Parameter Description	Flag	Value*	Units	Plus/Minus
00431	ALKALINITY TOTAL FIELD (MG/L AS CaCO3)		260	mg/L as CaCO3	
00425	ALKALINITY, BICARBONATE DISSOLVED (MG/L), LAB		252	mg/L	
00430	ALKALINITY, CARBONATE DISSOLVED (MG/L), LAB		0	mg/L	
00420	ALKALINITY, HYDROXIDE DISSOLVED (MG/L), LAB		0	mg/L	
00415	ALKALINITY, PHENOLPHTHALEIN (MG/L)		0	mg/L	
00410	ALKALINITY, TOTAL (MG/L AS CaCO3)		252	mg/L as CaCO3	
01503	ALPHA, DISSOLVED (PC/L)	<	3	PC/L	1.59
01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	5	ug/L	
50938	ANION/CATION CHG BAL, PERCENT		3.05	PCT	
01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	ug/L	
01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	1	ug/L	
01005	BARIUM, DISSOLVED (UG/L AS BA)		36.2	ug/L	
01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	ug/L	
00440	BICARBONATE ION, CALCULATED (MG/L AS HCO3)		307.527	mg/L	
01020	BORON, DISSOLVED (UG/L AS B)		68.4	ug/L	
71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.0824	mg/L	
01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	ug/L	
00915	CALCIUM, DISSOLVED (MG/L AS CA)		94.2	mg/L	
00445	CARBONATE ION, CALCULATED (MG/L AS CO3)		0	mg/L	
00941	CHLORIDE, DISSOLVED (MG/L AS CL)		12.8	mg/L	
01030	CHROMIUM, DISSOLVED (UG/L AS CR)		5.53	ug/L	
01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	ug/L	
01040	COPPER, DISSOLVED (UG/L AS CU)	<	1	ug/L	
00950	FLUORIDE, DISSOLVED (MG/L AS F)		0.249	mg/L	
00900	HARDNESS, TOTAL, CALCULATED (MG/L AS CaCO3)		332.849	mg/L as CaCO3	
01046	IRON, DISSOLVED (UG/L AS FE)	<	50	ug/L	
01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	ug/L	
01130	LITHIUM, DISSOLVED (UG/L AS LI)		4.77	ug/L	
00925	MAGNESIUM, DISSOLVED (MG/L AS MG)		23.4	mg/L	
01056	MANGANESE, DISSOLVED (UG/L AS MN)	<	1	ug/L	
71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.2	ug/L	

**Texas Water Development Board (TWDB)
Groundwater Database (GWDB)
Well Information Report for State Well Number
57-63-707**

Parameter Code	Parameter Description	Flag	Value*	Units	Plus/Minus
01060	MOLYBDENUM, DISSOLVED (UG/L AS MO)		1.36	ug/L	
71851	NITRATE NITROGEN, DISSOLVED, CALCULATED (MG/L AS NO3)		3.125	mg/L as NO3	
00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		0.706	mg/L as N	
00400	PH (STANDARD UNITS), FIELD		7.07	SU	
00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.02	mg/L as P	
00935	POTASSIUM, DISSOLVED (MG/L AS K)		1.52	mg/L	
71860	RESIDUAL SODIUM CARBONATE, CALCULATED		0		
01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	5	ug/L	
00955	SILICA, DISSOLVED (MG/L AS SI02)		10.4	mg/L as SIO2	
01075	SILVER, DISSOLVED (UG/L AS AG)	<	1	ug/L	
00931	SODIUM ADSORPTION RATIO, CALCULATED (SAR)		0.218		
00932	SODIUM, CALCULATED, PERCENT		5.655	PCT	
00930	SODIUM, DISSOLVED (MG/L AS NA)		9.13	mg/L	
00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM AT 25C)		662	MICR	
01080	STRONTIUM, DISSOLVED (UG/L AS SR)		1060	ug/L	
00946	SULFATE, DISSOLVED (MG/L AS SO4)		57.5	mg/L as SO4	
00010	TEMPERATURE, WATER (CELSIUS)		21	C	
01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	ug/L	
70301	TOTAL DISSOLVED SOLIDS , SUM OF CONSTITUENTS (MG/L)		364.596	mg/L	
22703	URANIUM, NATURAL, DISSOLVED (UG/L AS U)	<	1	ug/L	
01085	VANADIUM, DISSOLVED (UG/L AS V)		3.13	ug/L	
01090	ZINC, DISSOLVED (UG/L AS ZN)	<	5	ug/L	

* Value may not display all significant digits for parameter in results, check Scanned Documents for laboratory paperwork..

GWDB DISCLAIMER: Except where noted, all of the information provided in the Texas Water Development Board (TWDB) Groundwater Database (<https://www.twdb.texas.gov/groundwater/data/gwdb rpt.asp>) is believed to be accurate and reliable; however, the TWDB assumes no responsibility for any errors appearing in rules or otherwise. Further, TWDB assumes no responsibility for the use of the information provided. PLEASE NOTE that users of these data are responsible for checking the accuracy, completeness, currency and/or suitability of all information themselves. TWDB makes no guarantees or warranties as to the accuracy, completeness, currency, or suitability of the information provided via the Groundwater Database (GWDB). TWDB specifically disclaims any and all liability for any claims or damages that may result from providing GWDB data or the information it contains. For additional information or answers to questions concerning the TWDB GWDB, contact the Groundwater Data Team at GroundwaterData@twdb.texas.gov.